

PETRONAS LUBRICANTS ITALY S.P.A.
SEDE LEGALE ED AMMINISTRATIVA:
VIA SANTENA 1 - 10029 VILLASTELLONE (TO)
CAP. SOC. € 20.010.000 I.V.
REGISTRO IMPRESE DI TORINO 05082750968
R.E.A. DI TORINO 1051229
COD. FISC. E PART. IVA 05082750968



PETRONAS

BOLLA ACCOMPAGNAMENTO BENI VIAGGIANTI
(D.P.R. 627/78)

XAB 0119699 /24

6138595419
DATA 17 06 2026 BOLLA 370421
NOTA PESO

a socio unico - DIR. DI Villastellone (TO) ZEG1

VS. ORDINE 55000478390 DEL 03.06.2026	COMMITTENTE MAGNA PT S.P.A. VIA DEI CICLAMINI 4 MODUGNO 70026 BA IT
N. ORD. SEDE 2002142373 DEL 22.05.2026 ORDINE PROGRAMMATO KG.	DESTINATARIO MAGNA PT S.P.A. 1020043694 VIA DEI CICLAMINI 4
6712.000 IN CONTO	INDIRIZZO CONSEGNA MERCE 70026 BA IT
ALLEGATO	VIA DEI CICLAMINI 4
CODICE FORNITORE 01026055	N. PROGR. SPEDIZIONE 7000231055
MOLO P.TO RIF.	COD. CAUSALE ENTRATA MATERIALE 70026 BA IT
	TRASPORTO A CURA DEL Self-Collect 601 CM Iisc. merci: cons
	CAUSALE DEL TRASPORTO VETTORE

Data 17.06.2026 ora 14:35 ritiro merce
Firma Incaricato trasporto *[Signature]* C.I.T. - SOCIETA COOPERATIVA INTERR
VIA BARTOLOMEO EUSTACHI 22
MILANO 20129 MT IT

CODICE	DESCRIZIONE (Natura - Qualità)	CLASS. DOG.	UTIF	QUANTITÀ IN FATTURA IN CIFRE	IN LETTERE	CONFEZIONI	PESO NETTO
66 77351001EU	PETRONAS TUTELA DCT EP21 BULK CUSTOMER P/N OEL-700532 Oli lubrificanti Sfusi 27101987 DATA DI CONSEGNA 19/6	27101987	37331	STGA	1		6.570,000
		KG.N.		6.570,000			

Sigilli
0069872
873
874
875
876

6/4507303
6600 kg.

KUEHNE+NAGEL s.r.l.
Via dei Ciclamini, 4 - 70026 Modugno (BA)
19 GIU 2026
"Ricevuto con riserva di
verifica su qualità e quantità"

TIPO E QUANTITÀ MEZZI DI RACCOLTA DA RESTITUIRE A PETRONAS LUBRICANTS ITALY	KG. LORDI	PROD. SOGG. UTF. KG.	N. COLLI	TOTALE KG. NETTI
CODICE	DESCRIZIONE	QUANTITÀ	6570	6.570,000
N° EMERGENZA (ITALIA) 800 659 792 (NCEC) EMERGENCY CALL +44 1235 299670 (NCEC)			ASPETTO ESTERIORE DEI BENI	
TOTALE KG. LORDI COMPENSIVO DEI MEZZI DI RACCOLTA KG.			FIRMA DEL DESTINATARIO	

COPIA PER IL DESTINATARIO

TABELLA CODICI CONFEZIONE

001-0M1 CISTERNA circa 20.000 Litri

911-9M1 CISTERNETTA Metallo/Plastica circa 1.000 Litri

9J1 CISTERNETTA Metallo/Legno a perdere circa 1.000 Litri

151-251-451-2M1-1Z1-2Z1-4Z1 FUSTO Lt. 200 - Kg. 180

T51-TZ1 FUSTINO Lt. 50 - Kg. 50

U41-U51-UM1-UZ1 FUSTINO Lt. 60

P41-P61-R61-PP1-PQ1-PR1-RP1-RR1-RY1 SECCHIA metallo Lt. 20 - Kg. 18

P61-R41-RM1-RP1-RQ1-RR1-RY1 CANISTRO Lt. 20 - Kg. 18

L62 CARTONE n. 4 latte (tonde) da Kg. 4,5

LC2 CARTONE n. 4 taniche da Kg. 4,5

E15-E25-EB5 CARTONE n. 10 flaconi plastica da Lt. 1

B18-E18-E28 CARTONE n. 20 flaconi plastica da Lt. 1

D66-DC6-DX6 CARTONE n. 12 lattine da Kg. 0,850

CC9-CX9-DX9 CARTONE n. 24 lattine da Kg. 0,850

EC5-EC8 CARTONE n. 20 lattine da Lt. 1

BUY CARTONE n. 18 cartucce da 450 cc.

C19 CARTONE n. 24 taniche da Lt. 0,500

GC5 CARTONE n. 10 latte da Lt. 2

GX5 CARTONE n. 10 flaconi plastica da Lt. 2

K1Y-K2Y CARTONE n. 5 taniche plastica da Lt. 4

M12-M22-MX2 CARTONE n. 4 taniche plastica da Lt. 5

VARIAZIONE DI INDIRIZZO DI CONSEGNA FERMO RESTANDO IL DESTINATARIO

NUOVO INDIRIZZO _____

Estratto dell'art. 1 del D.P.R. n. 627 del 6/10/78:

"Ogni variazione relativa al luogo di destinazione, avvenuta durante il trasporto deve essere immediatamente annotata, a cura di chi lo esegue, sugli esemplari del documento che accompagna i beni e, a cura del mittente, su quello in suo possesso, se il trasporto è effettuato per suo conto".

VARIAZIONE DI DESTINATARIO

NUOVO DESTINATARIO _____

Estratto dell'art. 1 del D.P.R. n. 627 del 6/10/78:

"La variazione del destinatario deve risultare da atto scritto o da comunicazione telegrafica e deve essere annotata sugli esemplari del documento di cui all'art. 1 in possesso del vettore; se la variazione è ordinata dal mittente, deve essere immediatamente annotata sull'esemplare del documento di cui all'art. 1 in suo possesso; se è ordinata dal destinatario, questi deve conservare copia dell'ordine ai sensi dell'art. 5 terzo comma".

MERCE IN VIA DI RESTITUZIONE AL MITTENTE

CAUSALE: _____

Estratto dell'art. 1 del D.P.R. n. 627 del 6/10/78:

"Se per qualsiasi motivo, i beni non sono consegnati al destinatario, colui che effettua la restituzione al mittente deve annotare sugli esemplari del documento la causale del nuovo trasporto, prima dell'inizio del medesimo".

DATA E ORA DEL RITIRO

NOME VETTORE

FIRMA VETTORE

LA FORNITURA È EFFETTUATA IN BASE ALLE ATTUALI CONDIZIONI GENERALI SPECIFICATE DI VENDITA.

Oggi addì _____ il trasporto continua a
1/2 _____ targa _____

condotto da _____

vettore _____

L'ASSUNTORE DEL TRASPORTO _____

(firma)

Oggi addì _____ il trasporto continua a
1/2 _____ targa _____

condotto da _____

vettore _____

L'ASSUNTORE DEL TRASPORTO _____

(firma)



PETRONAS

PETRONAS LUBRICANTS ITALY SPA

Via Santena, 1 10029 Villastellone TO
Tel: 800-050-255

Date: 17/06/2026

Certificate of Analysis

Product Name:	PETRONAS TUTELA DCT EP21 BULK	Product Number:	77351001EU
Batch Number:	C199F008 - 6288239	Manufacturing Date:	17/06/2026
Delivery Number:	6138595419	Requalification Date:	22/05/2031
Customer Name:	MAGNA PT S.P.A.	Certificate Number:	40000517098
Customer Address:	VIA DEI CICLAMINI 4, MODUGNO, Bari, 70026, Italia	Sales Order:	2002142373

Inspection Characteristics	Method	Un. Measure	Lower Limit	Upper Limit	Result
PHOSPHORUS CONTENT BY ICP	D4951	%	0,071	0,104	
WATER C. BY COULOM.KF-PROCEDURE A	D6304	ppm	0,00	500,00	
CALCIUM CONTENT BY ICP	D4951	%	0,020	0,028	
APPEARANCE	VISUAL	—	—	—	Clear
DENSITY @ 15°C IN G/CM3	D4052	g/cm 3	0,8320	0,8520	0,8390
POUR POINT MANUAL	D97	°C	—	-42	-48
KV @100°C	D445	cst	4,000	4,400	4,270
FOAMING CHARACTERISTIC(SEQ.II),TENDENCY	D892	ml.	0	50	20
FOAMING CHARACTERISTIC(SEQ.II),STABLITY	D892	ml.	0	0	0
COLOUR (VISUAL)	VISUAL	—	—	—	Matching
GKIII Avg u 1	—	—	0,150	0,160	0,157
GKIII Avg u 2	—	—	0,138	0,146	0,142
GKIII Avg u 3	—	—	0,136	0,142	0,140
GKIII Avg u qs	—	—	0,102	0,111	0,109
GKIII Avg u Static	—	—	0,108	0,121	0,115
GKIII Evaluation	—	—	—	—	1,000

This is an electronic generated certificate of analysis and does not require any signature.



PETRONAS

PETRONAS LUBRICANTS ITALY SPA

Via Santena, 1 10029 Villastellone TO
Tel: 800-050-255

Date: 17/06/2026

Certificate of Analysis

Product Name:	PETRONAS TUTELA DCT EP21 BULK	Product Number:	77351001EU
Batch Number:	C199F008 - 6288239	Manufacturing Date:	17/06/2026
Delivery Number:	6138595419	Requalification Date:	22/05/2031
Customer Name:	MAGNA PT S.P.A.	Certificate Number:	40000517098
Customer Address:	VIA DEI CICLAMINI 4, MODUGNO, Bari, 70026, Italia	Sales Order:	2002142373

Inspection Characteristics	Method	Un. Measure	Lower Limit	Upper Limit	Result
Particles Counting >5µm ISO 4407	—	—	0	18	11
Particles Counting >15µm ISO4407	—	—	0	14	10

Notes :-

This is an electronic generated certificate of analysis and does not require any signature.



PETRONAS

PETRONAS LUBRICANTS ITALY SPA

Via Santena, 1 10029 Villastellone TO
Tel: 800-050-255

Date: 17/06/2026

Certificate of Analysis

1. The results refer only to the tested items.
2. This certificate of analysis may be reproduced in its entirety. Partial release requires written approval by the laboratory.
3. The methods on this certificate are presented in compliance to the referred methods.
4. The estimative of the measurement uncertainty is established and may be forwarded if requested.
5. The term of custody of the samples is one (01) year after the release of the results.
6. (*) standard value

This is an electronic generated certificate of analysis and does not require any signature.

**PETRONAS****PETRONAS LUBRICANTS ITALY SPA**

Via Santena, 1 10029 Villastellone TO
Tel: 800-050-255

Date: 17/06/2026

Certificate of Analysis

Product Name: PETRONAS TUTELA DCT EP21 BULK Product Number: 77351001EU
Batch Number: C199F008 - 6288239 Manufacturing Date: 17/06/2026
Delivery Number: 6138595419 Requalification Date: 22/05/2031
Customer Name: MAGNA PT S.P.A. Certificate Number: 40000517098
Customer Address: VIA DEI CICLAMINI 4, MODUGNO, Bari, 70026, Italia Sales Order: 2002142373

Inspection Characteristics	Method	Un. Measure	Lower Limit	Upper Limit	Result
PHOSPHORUS CONTENT BY ICP	D4951	%	0,071	0,104	
WATER C. BY COULOM.KF-PROCEDURE A	D6304	ppm	0,00	500,00	
CALCIUM CONTENT BY ICP	D4951	%	0,020	0,028	
APPEARANCE	VISUAL	—	—	—	Clear
DENSITY @ 15°C IN G/CM3	D4052	g/cm 3	0,8320	0,8520	0,8390
POUR POINT MANUAL	D97	°C	—	-42	-48
KV @100°C	D445	cst	4,000	4,400	4,270
FOAMING CHARACTERISTIC(SEQ.II),TENDENCY	D892	ml.	0	50	20
FOAMING CHARACTERISTIC(SEQ.II),STABILITY	D892	ml.	0	0	0
COLOUR (VISUAL)	VISUAL	—	—	—	Matching
GKIII Avg u 1	—	—	0,150	0,160	0,157
GKIII Avg u 2	—	—	0,138	0,146	0,142
GKIII Avg u 3	—	—	0,136	0,142	0,140
GKIII Avg u qs	—	—	0,102	0,111	0,109
GKIII Avg u Static	—	—	0,108	0,121	0,115
GKIII Evaluation	—	—	—	—	1,000

This is an electronic generated certificate of analysis and does not require any signature.



PETRONAS

PETRONAS LUBRICANTS ITALY SPA

Via Santena, 1 10029 Villastellone TO
Tel: 800-050-255

Date: 17/06/2026

Certificate of Analysis

Product Name:	PETRONAS TUTELA DCT EP21 BULK	Product Number:	77351001EU
Batch Number:	C199F008 - 6288239	Manufacturing Date:	17/06/2026
Delivery Number:	6138595419	Requalification Date:	22/05/2031
Customer Name:	MAGNA PT S.P.A.	Certificate Number:	40000517098
Customer Address:	VIA DEI CICLAMINI 4, MODUGNO, Bari, 70026, Italia	Sales Order:	2002142373

Inspection Characteristics	Method	Un. Measure	Lower Limit	Upper Limit	Result
Particles Counting >5µm ISO 4407	—	—	0	18	11
Particles Counting >15µm ISO4407	—	—	0	14	10

Notes :-

This is an electronic generated certificate of analysis and does not require any signature.



PETRONAS

PETRONAS LUBRICANTS ITALY SPA

Via Santena, 1 10029 Villastellone TO
Tel: 800-050-255

Date: 17/06/2026

Certificate of Analysis

1. The results refer only to the tested items.
2. This certificate of analysis may be reproduced in its entirety. Partial release requires written approval by the laboratory.
3. The methods on this certificate are presented in compliance to the referred methods.
4. The estimative of the measurement uncertainty is established and may be forwarded if requested.
5. The term of custody of the samples is one (01) year after the release of the results.
6. (*) standard value

This is an electronic generated certificate of analysis and does not require any signature.