

(VDA 4912)
Vendor -Plant: 0100 Receiver -Plant: 100
-No: 91001108 -No.: 14550700
Linamar Plettenberg GmbH
Daimlerstr. 11
58840 PIETTENBERG
DEUTSCHLAND
Magna PT S.P.A.
Via dei Ciclamini, 4
Zona Industriale
I-70026 MODUGNO
VAT-No.: DE123840478 VAT-No.: IT04886850728
Unloading Area: 14248
place of storage:
Consumption:
Dispatch Type: Truck Company
Forw. Agent Name: Schweitzer GmbH & Co.
-Number: 16070077
Gross Weight: 21.484 KG

ASN-No	-Pos	Sup. Ref. No. Cust.	Quant.	UM	V/G	Name of delivery	Purch. Ord. Nr.
-Date		Suppl. Ref. No. Vend.				Add. Data Vendor	
		Pack. Mat. -Quant.	- Number Cust.			-Number Vendor	Consignment

81056634 000010 2511122490 2.650 PC S ZAHNRAD 2. GANG
14.02.2023 035541-900
CC: 230009457 530 PC S
CC: 230009451 530 PC S
CC: 230009447 530 PC S
CC: 230009444 530 PC S
CC: 230009440 530 PC S
Cast-Number: 263742
UC-Material: G014347X10
Text: Engineering Change Status a
Text: Customer Change No. CO_21_002676-01
Text: Supplier Index -
KUEHNE+NAGEL S.R.L.
ACCETTAZIONE MERCE
Quantità dichiarata: 2650
Quantità effettiva:
Tipo Imballaggio:
Conformità alle schede d'imballo: ☒ ☐
Data controllo: 20.2.23
Firma Q. 20.2.23

81056636 000010 2511108490 2.120 PC S ZAHNRAD 2. GANG
14.02.2023 035309-900
CC: 230011580 530 PC S
CC: 230011566 530 PC S
CC: 230011559 530 PC S
CC: 230003855 530 PC S
CC: 4,000
Cast-Number: 264754
UC-Material: G014393X10
Text: Engineering Change Status C
Text: Customer Change No. C018986_MIP_1
Text: Supplier Index -
KUEHNE+NAGEL S.R.L.
ACCETTAZIONE MERCE
Quantità dichiarata: 270
Quantità effettiva:
Tipo Imballaggio:
Conformità alle schede d'imballo: ☒ ☐
Data controllo: 20.2.23
Firma Q. 20.2.23

81056637 000010 2511109390 3.700 PC M SCHALTRAD 7. GANG
14.02.2023 035307-900
CC: 230008710 1.850 PC M
CC: 230005152 1.850 PC M
CC: 2,000
Cast-Number: 639146
UC-Material: L014099X20
Text: Engineering Change Status C
KUEHNE+NAGEL S.R.L.
ACCETTAZIONE MERCE
Quantità dichiarata: 370
Quantità effettiva:
Tipo Imballaggio:
Conformità alle schede d'imballo: ☒ ☐
Data controllo: 20.2.23
Firma Q. 20.2.23

Abnahmezeugnis 3.1 EN 10204 (Test certificate: / Certificat:)

Linamar Plotenborg GmbH, Postfach 1520, D-58815
Plotenberg



Company
Magna PT S.p.A.
Via dei Ciclamini, 4
Zona Industriale
I-70026 Modugno

Artikel ZAHNRAD 2.GANG
(Part name: / Désignation pièce)
Kd.-Zg.-Nr. 251.1.1224.90
(Customer part number / No. du plan client)
Kd.-Auftr.-Nr. 30005431
(Order no. / No. De commande)
Schmelzen-Nr. 263742
(Heat number / No. de Coulee)
Stahlhersteller Georgsmarienhütte GmbH
(Steel mill / Aciererie)
Lieferungsspezifikation GCG 805000 02
(Technical specification / Spécification de livraison)

HBS-Teile-Nr. 035541-900
(HBS-Part number: / N° du plan HBS)
Änderungsindex a
(Draw. notfic. index / Indica du plan)
Lieferschein-Nr. 81056634/000010
(Shipping advice no. / Bulletin de livraison)
Schmelzen-Knz.
(Heat code / Répète de Coulee)
Herstellprozess EVAK/CC
(Process flow / Procédé fabrication)

Auftrag 1039947
(Order no./ordre no.)
SAP UC-Material G014347X10
(SAP UC-material/SAP UC-material)
Lieferdatum 02/02/2023
(Shipping date / Date de livraison)

Stückzahl 2,650
(Quantity / Quantité)
Rohmat.-abm. 55 Rund
(Raw material dim. / Barre dimètre)
Lieferzustand +FP Glühen Isotherma
(Delivery condition / Etat de livraison)
Uniformgrad 25:1
(Diameter / diamètre)

Schmelzanalyse (cast analysis / Analyse de coulee)															
%C	%Si	%Mn	%P	%S	%Cr	%Mo	%Ni	%Cu	%Sn	%Al	%V	%B	%Ti	%Nb	%W
%Co	%Sb	%As	%Pb	%Te	%Ca	%N	ppm H	ppm O							
0.2000	0.1100	1.2300	0.0150	0.0230	1.1900	0.0500	0.1500	0.1700	0.0090	0.0350	0.0070	0.0003	0.0010	0.0090	0.0000
0.0000	0.0010	0.0070	0.0010	0.0070	0.0000	0.0000	0.0010	0.0070	0.0002	0.0000	0.0006	0.0120	1.7000	7.0000	

Härtbarkeit (hardenability / valeurs de tempéabilité)															
mm	1	1.5	2	3	4	5	6	7	8	9	10	11	13	15	20
HRC	0.00	45.50	0.00	44.80	0.00	43.50	0.00	40.40	0.00	37.00	0.00	34.80	32.90	31.90	0.00
Fdyn	0.00	-	0.00												
DI-Wert (DI value / diamètre idéal)															

Metallographische Prüfungen (metallographical test / Examens métallographiques)															
Gefüge (part name / Désignation pièce)										Randentkohlung (decarburation / Decarburation)					
Korngröße (grain size / brosseur de grain)										0.000					
Prim.										8					
Sek.										9					

Mechanische Eigenschaften (mechanical properties / propriétés mécaniques)															
RM (N/mm²)				Rp0.2(N/mm²)				A(%)				Z(%)			
0.00				0.00				0.00				0.00			
-				-				-				-			
bei T(°C)															
0.00				0.00				0.00				0.00			

Oberflächenhärte (surface hardness / dureté superficielle)															
Vorschritt (specification / Spécification)				Ergebnis (result / Résultat)				Kernhärte (core hardness / dureté centre)				Einsatzhärtungstiefe (case hardening depth / cémentation gravité)			
152.0				176.0				0.00				0.00			
-				-				-				-			
201.0				188.0				0.00				0.00			
HBW				HBW											



Seite 1 von 1

COMMERZBANK
Konto: 0501540600
BLZ: 604 800 08
IBAN: DE13 6048 0008 0501 5406 00
SWIFT: DRESDEFF604